

# The universal gravitational constant is derived from the earth's permittivity

Short Titles: The universal gravitational constant

Author: Dong-il Song<sup>1</sup>

Korea Meteorological Administration, Seoul, Republic of Korea

Tel: 82-10-2605-0927

FAX: 82-42-826-2587

Email: [songdi27@daum.net](mailto:songdi27@daum.net)

## Abstract

The purpose of this study is to study the universal gravitational constant.

The method investigated the relationship between the universal gravitational constant and the earth's permittivity.

As a result, it was found that the universal gravitational constant was equal to the estimate of the earth's permittivity.

As a conclusion, the universal gravitational constant is derived from the earth's permittivity.

Keywords: Universal gravitational force, Universal gravitational constant, earth's permittivity

## 1. Introduction

Newton's formula of universal gravitation is  $F=GMm/r^2$ .

Although Newton discovered the law of universal gravitation ( $F = GMm/r^2$ ), he did not know the value of the universal gravitational constant. About 100 years after Newton discovered the law of universal gravitation, the universal gravitational constant was measured in an experiment conducted by Henry Cavendish of England.

However, it still was not known how this universal gravitational constant came out.

In this research, it was found that the universal gravitational constant is related to the earth's permittivity and that the value of the earth's permittivity is similar to the value of the universal gravitational constant.

**[permittivity of earth's constituent materials: The exact value of the Earth's permittivity is not yet known].**

Henry Cavendish of England measured the universal gravitational constant (G) using a torsion balance, and Coulomb of France also measured the electric force using such balance and developed Coulomb's constant under Coulomb's law. This indicates that the measurement principle of the universal gravitational constant (G) and Coulomb's law for the coulomb's constant (K) are equal; this proves that the universal gravitational constant (G) is related to Coulomb's law.

---

<sup>1</sup> Korea Meteorological Administration(retire), Seoul, Republic of Korea

All objects (substances) have a permittivity holding electric charges, and if there is a temperature difference between the surface and the center of an object, electric charges are transferred between the two points due to such temperature difference.

This electrical force is called the universal gravitational force. The permittivity is related to the universal gravitational constant. When a substance has a temperature difference, the electric charges move due to such difference and an electromotive force is generated.

In the case of the earth, the earth's surface is positively charged, and the center (core) is negatively charged, and therefore an electric force is generated between the positive and negative charges.

## **2. The universal gravitational constant is derived from the earth's permittivity.**

A torsion balance, designed by John Michell in around 1750, was used by C. Coulomb to introduce Coulomb's law in 1785 (1777). In 1798, Henry Cavendish also used a balance to measure the density of the earth to assess the intensity of the gravitational force acting between two objects. He measured the universal gravitational constant (G) using a torsion balance, and Coulomb of France also used a torsion balance to measure the electric force and develop a Coulomb constant for the Coulomb's law. This indicates that the torsion balance used by Coulomb was also used in measuring the universal gravitational constant.

This means that the universal gravitational constant (G) and the electric force of Coulomb's law have the same measuring criteria, which can serve as evidence that the gravitational constant (G) and the electric force of Coulomb's law are related.

Substances have permittivity, an ability to hold charges, and for this permittivity, the Coulomb's constant  $K=8.988 \times 10^9$  is used by applying the permittivity in a vacuum state in Coulomb's law.

To calculate the permittivity of the Earth, the relative permittivity of a substance is used compared with the permittivity of a vacuum state being set as "1".

Earth's components are composed of soil, rock, sand, iron, graphite, aluminum, water, etc.

The relative permittivity of Earth's constituent materials is between 4 and 80 (see Table 1).

And due to materials such as iron and a small amount of water, the Earth's relative permittivity is estimated to be 7.5375, which is equal to the value of the universal gravitational constant.

The range of permittivity of earth substances is from  $3.541675 \times 10^{-11}$  to  $11.0677 \times 10^{-11}$  as shown in "Table 1 Permittivity and Universal Gravitational Constant of Earth's Components."

Table 1 shows the permittivity and universal gravitational constant of earth's components.

Since the gravitational constant  $G=6.67384 \times 10^{-11}$  falls within the permittivity range of the earth's components, it can be seen that the gravitational constant is derived from the earth's permittivity.

Earth's components are composed of soil, rock, sand, iron, graphite, aluminum, water, etc. The relative permittivity of the substances (soil, rock, sand, graphite, aluminum, and water) ranges from 4 to 80.

Since the universal gravitational constant  $G=6.67384 \times 10^{-11}$  is included within the range of the permittivity of the earth components ( $3.541675 \times 10^{-11}$  to  $11.0677 \times 10^{-11}$ ), this signifies that the value of the gravitational constant is the average permittivity of the earth.

This indicates that the universal gravitational constant is the exact value of the permittivity of the earth.

**That is, the permittivity is relevant to the electric force, and is the same as the universal gravitational constant and the predicted value of the earth's permittivity, so the electric force of**

**positive and negative charges of an object is gravitational force.**

**Therefore, it can be judged that the universal gravitational constant  $G=6.67384 \times 10^{-11}$  is derived from the earth's permittivity.**

### **3 Discussion**

The universal gravitational constant is derived from the Earth's permittivity.

The gravitational force of a celestial body arises from the temperature difference of the celestial body.

Earth and other celestial bodies of different constituent materials have different permittivities.

Therefore, the universal gravitational constant of celestial bodies needs to be reviewed.

in other words, Since the gravitational force of a celestial body occurs inside the celestial body, it is necessary to review whether the use of the formula for gravitational force " $F=GMm/r^2$ " is appropriate.

### **In conclusion,**

**The gravitational constant is equal to the predicted value of the Earth's permittivity.**

**Since the Earth's permittivity is not yet known, the predicted value of the Earth's permittivity is the Earth's permittivity value.**

**Therefore, the predicted value of the earth's permittivity is equal to the value of the universal gravitational constant.**

**Data Availability:** Data supporting the findings of this manuscript are available from the corresponding author upon reasonable request.

Further documentation about data processing is available at Electromotive Force Generated in All Materials under Temperature Difference, 3-4. <https://doi.org/10.21203.re.3.rs-1137728/v2>

**Code Availability:** Custom codes that support the findings of this study are available at a dedicated BBS repository ([http://bbs.info/research/The universalGravitationalConstant211228.pdf](http://bbs.info/research/The%20universalGravitationalConstant211228.pdf))

Received: 28 December 2021.

### **References**

[1] Seebeck effect [https://en.wikipedia.org/wiki/Thermoelectric\\_effect#Seebeck\\_effect](https://en.wikipedia.org/wiki/Thermoelectric_effect#Seebeck_effect) Accessed on 8 September 2021.

[2] Dong-il Song(2021), Electromotive Force Generated in All Materials under Temperature Difference, 3-4. <https://doi.org/10.21203.re.3.rs-1137728/v2>

**Acknowledgement:** I thank the reviewers for reviewing this paper.

We would like to thank his wife, Yeong-suk Lee and daughter, Ji-hyeon Song, who helped with the proofreading of this thesis. I am submitting this thesis as a retired individual from the National Weather Service. Therefore, we are not interested in any institution or company.

The cost will be paid by the author himself.

**Author Contribution:** The author (Dong-il Song) confirms sole responsibility for the following: study conception and design, data collection, analysis and interpretation of results, and manuscript preparation.

**Competing Interest:** Author declares that there is no competing interest.

**Table 1. Permittivity and universal gravitational constant of earth's components**

Earth components	Relative permittivity	Permittivity	Coulomb constant (Electric constant)	Remark
Dry soil	4(3~5)	$3.541675 \times 10^{-11}$	$2.246883 \times 10^9$	
Sand	4(3~5)	$3.541675 \times 10^{-11}$	$2.246883 \times 10^9$	
Marble	6.4(3.5~9.3)			
Fluorspar	6.8			
Calcspars	8.3			
Aluminum	8.5			
Graphite	12.5(12~13)	$11.0677 \times 10^{-11}$	$0.71904 \times 10^9$	
Water	80			
Range	4~80	$3.541675 \times 10^{-11}$ $\sim 11.0677 \times 10^{-11}$		
Earth	7.5375(estimate)	$\epsilon_g = 6.67384 \times 10^{-11}$ ( $G = 6.67384 \times 10^{-11}$ )	$1.192376 \times 10^9$	Earth permittivity Universal gravitational constant